

Freeform Memorandum

Jan 25 Tech Talk



COMMUNICATION TOOL

IB13 is a freeform memorandum sent over the secure ICON network.

It is used to exchange information between States and Federal Agencies.

It is also used to transmit Directory of Federal Address updates, AutoIB5 requests, HCTC comments, Claimstaking Handbook updates, and Overpayment Recovery Handbooks updates.

All States should be able to view and process incoming IB13s as well as send IB13s as needed.

IB13 DOCUMENTATION

- *IB13 Variable Description (Record layout)
- *IB13 Schema
- *Web Services Info Document
- *IB6 Non Model Code Guide
- ***UCFE Non Model Code Guide**
- *IB13 System User Guide for Model Code



Reserved User IDs

Used in applications and must adhere to correct application format)

```
XX.IB1, XX.IB4, XX.IB4R, XX.IB5, XX.IB6, XX.AUTOIB5, XX.UCFEADDR, XX.HANDBOOK, XX.OVERPYMT
```

```
Generic User ids – XX.TALKIB6, XX.HCTC, XX.IPC, XX.CWC, XX.INCOORD, XX.INPROGMR, XX.LIABLE, XX.INSYSPGM, XX.XBPC, XX.INSTATS, XX.HNDNOTFY, XX.OPNOTFY, XX.DPMGR, XX.LIABMGR, XX.UNKNOWN
```



XX is State Postal code

DISTRIBUTION LISTS

➤ Global mailing lists ex: GL.REGION7

► Individual mailing lists

ex: ML.LOCSTAFF

▶ Broadcast message

ex: US.IPC



MESSAGE ID


- ➤ The message id is used in the model code and at the UI-ICON Hub and in some States to keep the record unique.
- ➤ It's 6 digit numeric. In model code, the record is stored with the State characteristics and incremented by one with each IB record sent (IB1, IB4, IB4R, IB5, IB13).
- > You must make the message id unique in your system.
- ➤ Key at the Hub (and in model code States) starts: Destination (NV.TALKIB6) Sender (WV.CWC) and Message id (123456)
- > IB13s are transmitted along with your other IB Delivery data (IB4s, IB5s).



IB13 Record Layout

This document is a description of the variables for IB13 records. IB13s are used to create messages for the HCTC office, Directory of Federal Addresses updates, Automated Handbook Updates, Overpayment Recovery Handbook Updates, TALKIB6, AUTOIB5, or maybe just a message to a CWC unit or IPC. See specific applications for those IB13s related to them.

VARIABLE NAME	PIC	CONTENTS
CC-KEY.		
CC-RECEIVER-ID-STATE	X(02)	Destination State's Postal Code
CC-RECEIVER-ID-PERIOD	X(01)	'.' = Period
CC-RECEIVER-ID-UID	X(08)	Destination State's Userid
CC-SENDER-ID-STATE	X(02)	Sender's State Postal Code
CC-SENDER-ID-PERIOD	X(01)	'.' = Period
CC-SENDER-ID-UID	X(08)	Sender's Userid
CC-MESSAGE-ID	9 (06)	IB13 MESSAGE ID
FILLER	X(05)	SPACES
CC-SEGMENT-NBR	9 (03)	000 = First page of Message
		001 = Additional Pages
CC-TYPE-RECORD	X(01)	'0'
CC-LENGTH-OF-AREA	S9(04)	VARIES DEPENDING ON
		TEXT MESSAGE
CC-VARIABLE-AREA	X(4056)	THIS AREA IS REDEFINED
		BELOW





IB13 Record Layout (cont.)

CC-IB13-AREA REDEFINES CC-VARIABLE-AREA. CC-IB13-000-FIRST71. CC-IB13-SUBJECT X(29) Message Subject CC-IB13-CREATE-DATE S9(06) Create Date (MMDDYY) Date received at Hub -CC-TB13-RECETVED-DATE S9(06) YYMMDD - State codes Zeros CC-IB13-PRIORITY S9(03) ZEROS CC-IB13-CREATE-TIME S9(05) CREATE TIME (OHHMM) CC-TB13-RECETVED-TIME S9(05) Time received at Hub -OHHMM - State codes Zeros X(05) CC-TB13-PRINTER SPACES CC-IB13-CREATE-DT-CC X(02) Century of Create Date Century of Received Date X(02) CC-IB13-RECEIV-DT-CC FTLLER X(17)SPACES CC-IB13-001-FIRST71 REDEFINES CC-IB13-000-FIRST71 X(71)TEXT MESSAGE CC-IB13-TEXT-MESSAGE OCCURS 55 TIMES X(71)TEXT MESSAGE FILLER X(80)SPACES

Compute the length to put in the CC-LENGTH-OF-AREA by taking the number of Text Lines, including the First71 and multiply that by 71 (length of text line).

Compute the length of the IB13 for transmission by taking the CC-LENGTH-OF-AREA and adding 41(length of key) and dividing that total by 80. If there's a remainder, add 1 to the number of 80 byte lines.



Health Coverage Tax Credit IB13s

- Sent to you from the IRS who handles HCTC (Health Coverage Tax Credit)
- Will tell you by SSN what they don't like about the HCTC data you sent in
- Always to your State Postal Code dot HCTC (XX.HCTC)
- Always from HC.HCTC and 213 in length
- Has unique message ID

Sample HCTC IB13 from IRS



Health Coverage Tax Credit IB13s

Your State can send IB13s to the IRS. Send to HC.HCTC

Sample HCTC IB13 to IRS

HC.HCTC XX.HCTC 331002 121024000000000030000000 ELIGIBILITY YEAR

00000213ERROR 123456789 2000 RECOR

RECORD WAS RESUBMITTED WITH CORRECT



There are two IB13s associated with the IB6 quarterly billing system. Details on formatting them are found in the IB6 Non Model Code Guide.

- >XX.AUTOIB5
- >XX.TALKIB6



XX.AUTOIB5

- Must be set up to differentiate incoming Requests for Missing IB5s from other IB13 messages. The incoming Request for Missing IB5 IB13 should be written to your IB13 file as though it were a regular IB13 message.
- The key for the IB5 that was indicated in the IB6 sent to the Transfer State will begin in position 5 of the first text line.
- Programmatically, your State should read the incoming AUTOIB5 IB13s and <u>resend the requested IB5</u> to the Transfer State.
- You should match on date only unless you have multiple on that date and then use the time also



>XX.AUTOIB5 IB13 Sample - From State to State

XX.AUTOIB5 ZZ.TALKIB6 476912

00000284MISSING IB5 REQUESTED FOR IB60110230000

000000220800000

2020

IB5=123456789090922201304

MISSING IB5 REQUESTED FOR IB6 BILLING 2022-3

FOR SSN 123-45-6789, IB5 CREATED DATE: 09-09-2022, TIME: 2

01304



- > XX.TALKIB6
- IB6 specific IB13s will be sent to XX.TALKIB6 (where XX is your State Postal code).
- Other States will send questions/comments concerning the IB6.
- Model code programs send Reconciliation and Payment IB13s and information/inquires regarding a specific IB6 line item.



IB6 TALKIB6 SAMPLE IB13

XX.TALKIB6 IB13 SAMPLE – From State to State

XX.TALKIB6 ZZ.TALKIB6 090862 00000355IB6 BILLING: 2020/2 0105230000

000000102300000 2000 RE: IB6 BILLING FOR YEAR/QTR: 2020/2

FOR SSN: 123-45-6789, BYE DATE: 10/10/2020, ADJ:

NO NO SEPARATE ADJ FOUND ON THIS BILL. MCS/IB6



UCFE IB13s

XX.UCFEADDR

- The Directory of Federal Addresses for claims resides in every State
- Updates to the Directory are sent to your State via IB13
- You need to take the updates and process them on your State hosted copy of the Directory to keep it current
- An update could Delete the Directory entry
- Formatting of the UCFEADDR is found in the UCFE Non-Model Code Guide



UCFE DIRECTORY Update IB13 Sample

>XX.UCFEADDR IB13 Sample

XX.UCFEADDRH2.INPROGMR002259 000000135300000 00000852UCFE DIRECTORY UPDT 01-04-23 0104230000 0350001

U.S. TAX COURT

U.S. TAX COURT

EMPLOYERS EDGE / EQUIFAX

P.O. BOX 351567

WESTMINSTER

CO 80035..... USA

AMANDA YENIGUES

8666753856....

20220606 , 8



HANDBOOK IB13s

- These IB13s are optional to your State
- If your State only utilizes the UI-ICON hosted websites for the Claimstaking Handbook and Overpayment Recovery Handbook, then you can notify the UI-ICON Hub that you do not wish to receive updates.
- However, if you keep a copy of the Claimstaking Handbook and/or the Overpayment Recovery Handbook on your State system, then you will need to be able to process these IB13s.
- And send in your updates to be distributed nationwide.



HANDBOOK IB13 SAMPLE

>XX.HANDBOOK IB13 SAMPLE to State from UI-ICON Hub

XX.HANDBOOKH2.INPROGMR035429

00000710HANDBOOK UPDATE ZZ2 12/21/221221220000

000000110000000

2020

**** ZZ2 ****

ZZ201

EFFECTIVE 1/02/23

WORK AND WAGES IN AT LEAST 2 CALENDAR QUARTERS IN THE BASE PERIOD

AND WAGES OF AT LEAST \$3100 PAID IN ONE CALENDAR QUARTER AND TOTAL BASE PERIOD WAGES OF AT LEAST 1 1-2 TIMES THE HIGH QUARTER WAGES. THE AMOUNT OF

HIGH QUARTER EARNINGS USED TO DETERMINE IF THIS REQUIREMENT IS MET WILL NOT BE GREATER THAN \$11088. EARNINGS IN THE OTHER BASE PERIOD QUARTERS MUST

TOTAL AT LEAST ONE-HALF HIGHEST QUARTER



HANDBOOK IB13 SAMPLE

Handbook Update Notifications are sent when a handbook update is sent. Your State can opt out of receiving these notifications.

>XX.HNDNOTFY IB13 SAMPLE to State from UI-ICON Hub for single update

```
XX.HNDNOTFYH2.INPROGMR035429 00000710HANDBOOK UPDATE ZZ2 12/21/221221220000 000000110000000 2020 ***** ZZ2 *****
```

ZZ201

>XX.HNDNOTFY IB13 SAMPLE to State from UI-ICON Hub for multiple updates



HANDBOOK IB13 SAMPLE Multiple IB13s for one section

XX.HANDBOOKH2.INPROGMR035437	00003976HANDBOOK UPDATE ZZB 01/03/230111230000
000000084300000 2020	**** ZZB ****
	ZZB <mark>01</mark>
A) INFO	AT A GLANCE:
(lots of data)	
XX.HANDBOOKH2.INPROGMR035438	00001562HANDBOOK UPDATE ZZB 01/03/230111230000
000000084300000 2020	zzb <mark>02</mark>
more data	



OVERPAYMENT RECOVERY IB13s

>XX.OVERPYMT – IB13 Sample Sent to State from UI-ICON Hub

XX.OVERPYMTH2.INPROGMR03139	000007810VERPYMT UPDATE ZZ2 01/07/2	23000107230000
000000104800000 2020	**** ZZ2 ****	
	zz201	
2.	CROSSMATCH OF OTHER FILES FOR STATE CLAIMS	S ONLY. S
PACE		
ACTIVE CLAIMS AGAINST	STATE INCARCERATION DATA;	ACTI
VE CLAIMS AGAINST STATE DEF	PARTMENT OF HEALTH DEATH RECORDS; ACT	IVE CLAIMS
AGAINST STATE DEPARTMENT C	F REVENUE NEW HIRE REPORTS; ACTIVE CLAIMS	S AGAINST
NNHD;	CLAIMS FILED AGAINST	EMPLOYEE A
ND VENDER RECORDS;	CLAIMS FILED AGAINST SOCIAL S	SECURITY DAT
A BASE:		



OVERPAYMENT RECOVERY IB13s

Sent when an Overpayment Recovery update is distributed. Your State can opt out of receiving these notifications

>XX.OPNOTFY IB13 Sample Sent to State from UI-ICON Hub

XX.OPNOTFY H2.INPROGMR031395	000003550VERPYMT UPDATES 01/07/23 0107230000
000000104700000 2020	OVERPAYMENT RECOVERY UPDATES WERE SENT
TO YOU ON 01/07/23 FOR SECTIONS	xx2
TOTAL NUM	BER OF UPDATED SECTIONS SENT: 1
**** END OF MESS	AGE ****



OVERPAYMENT RECOVERY IB13s

>XX.OPNOTIFY IB13 SAMPLE From State to UI-ICON Hub

H2.OPNOTIFYXX.IPC 001311 000003550VERPAY UPDATE XX4 01/03/23 07
000000124300000 2000 AN OVERPAYMENT RECOVERY UPDATE

TO YOU ON 01/03/23 FOR MEMBER XX4.

**** END OF MESSAGE ****



HANDBOOK IB13s

>XX.OVERPAYMENT IB13 SAMPLE From State to UI-ICON Hub

H2.OVERPYMTXX.IPC

001310

000005680VERPAY UPDATE XX4 01/03/23 0103230000

000000124200000

2000

**** XX4 ****

XX401

4. OVERPAYMENT RECOVERY INACTIVE CLAIM-NO CLAIM ON FILE

THIS

IS A TEST FOR THIS SYSTEM THIS IS A TEST.



STATE TO STATE COMMUNICATIONS

States send IB13s to other States.

Most States send to another State's Combined Wage Claim unit. They send to XX.CWC

States also send to XX.LIABLE

You should be able to route IB13s to specific users or have a XX.UNKNOWN userid to which non-defined destinations default. Then someone has to sign on as XX.UNKNOWN and forward to appropriate person or respond.



IB13s - STATE to STATE Samples

XX.CWC ZZ.CWC 196215 00000284IB5 RESPONSE DOESNOT MATCH 1219220000

000000093300000 2000 TRAN ST: ZZ, CLAIMANT SSN: 123456789

CLAIMANT NAME: JOHN DOE, EFFECTIVE DATE: 10/9/2022, IB5 WAGES NOT EQUAL IB4 WAGES. IB5

WAGES = 64390.2, IB4 WAGES = 79062.2

XX.CWC ZZ.CWC 146518 000002840VERPAYMENT IN STATE Z 1222220000

000000120000000 2020 AN OVERPAYMENT EXISTS IN STATE Z FOR 1

23456789 - SMITH JOHN.OVERPAYMENT IS A NON-FRAUD OVERPAYMENT.

OVERPAYMENT AMOUNT: \$892.50 STATE Z HAS SIGNED THE INTERSTATE OVERPAYMENT RECOVERY

XX.CWC ZZ.CWC 209215 00000284IB4R ERROR: 0106230000

000000190000000 2020 THE FOLLOWING IB4R DETAILS DO NOT MATCH

AN IB4 REQUEST. SSN: 123456789 , EFFECTIVE DATE: 11272022 , SEND STATE: XX , RE

CEIVE STATE: ZZ. PLEASE CORRECT AND RESEND.



IB13s - STATE to STATE (cont.)

022157 1222220000 XX.CWC ZZ.CWC 00000426RE: MISSING IB5

AN IB4 RESPONSE WAS SENT TO YOU ON 11 2 000000121200000 2020

9 2022 FOR 123 45 6789 JANE DOE. NO IB5 HAS BEEN RECEIVED. PLEASE SEND THE IB5 AS SOON AS

POSSIBLE.

THE IB 5 WAS SENT ON 12 15 2022.

ZZ CWC/IPC

XX.CWC ZZ.CWC-UNIT059824 00000639REJECTED IB4R 1221220000

000000213300000 2020 REJECTED IB4R

RE: SSN: 123456789

THERE IS NO REQUEST ON STATE Z FILES FOR THE WAGES SUBMITTE

D: SSN = 123456789 EFF DT 061922 . PLEASE CORRECT AND RESUBMIT.

XX.CWC ZZ.CWC 021855 00000497IB6 DISCREPANCIES 0109230000 000000180000000 2020 THE CHARGE IDENTIFIED BY SSN 123456789 AND BYE 5-20-2023 ON THE IB6 FOR THE QUARTER ENDING 2022 - 4 DOES NOT MATCH THE EXPECTED CHARGE FROM THE IB5 AND THE RECORD IS NOT MARKED AS AN ADJUSTMENT. PLEA TOTAL BENEFIT PAID IDENTIFIED BY SSN 123456789 AND BYE 5-20-2023 O SE REVIEW. N THE IB6 FOR THE QUARTER ENDING 2022 - 4 SEEMS TO HAVE EXCEEDES MBA. PLEASE REV IEW THE CHARGE.



IB13s - STATE to STATE (cont.)

XX.LIABLE ZZ.0170 090945 00000426COLLECTION ASSITANCE REQUEST 0105230000

000000140300000 2000 WE ARE UNABLE TO ASSIST YOU IN THE COLL

ECTION OF THE OP SSN 123-45-6789. THE CLAIM IS DUA AND NO MORE PA

YMENTS ARE BEING PROCESS. UNABLE TO ASSIST STATE OF XX



PROCESSING IB13s

- Process your AUTOIB5 requests IB13s (xx.AUTOIB5) to send the requested IB5
- Process your UCFE address change IB13s(xx.UCFEADDR) to update your State hosted copy of the Directory of Federal Addresses
- Process your handbook /overpayment recovery IB13s (xx.HANDBOOK, xx.OVERPYMT) if keeping a file in your State
- Ensure someone is reading xx.TALKIB6 and xx.HCTC IB13s as well as xx.CWC and xx.LIABLE IB13s
- When modernizing, make sure you can still handle these different types of incoming messages and format the outgoing ones correctly!!



IB13 TESTING

If you need to test particular record types, we can route production data to your test system.



IB13 FACT

IB13s continue to be a part of the interstate communications.



Questions?

Contact Information:

<u>icon@naswa.org</u>,

Martha.Stephens@conduent.com,

Paula.Hobdy@conduent.com,

or

UI-ICON Customer Support ui-support@conduent.com 1-800-327-9250, Option 2

